

Common Name: MOBILUX EP 1

Manufacturer: EXXON MOBIL

MSDS Revision Date: 3/23/2010

Grainger Item Number(s): 2RV29

Manufacturer Model Number(s): 98211R

## MSDS Table of Contents

Click the desired link below to jump directly to that section in the MSDS.

[SECTION 1 PRODUCT AND COMPANY IDENTIFICATION](#)  
[SECTION 2 COMPOSITION / INFORMATION ON INGREDIENTS](#)  
[SECTION 3 HAZARDS IDENTIFICATION](#)  
[SECTION 4 FIRST AID MEASURES](#)  
[SECTION 5 FIRE FIGHTING MEASURES](#)  
[SECTION 6 ACCIDENTAL RELEASE MEASURES](#)  
[SECTION 7 HANDLING AND STORAGE](#)  
[SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION](#)  
[SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES](#)  
[SECTION 10 STABILITY AND REACTIVITY](#)  
[SECTION 11 TOXICOLOGICAL INFORMATION](#)  
[SECTION 12 ECOLOGICAL INFORMATION](#)  
[SECTION 13 DISPOSAL CONSIDERATIONS](#)  
[SECTION 14 TRANSPORT INFORMATION](#)  
[SECTION 15 REGULATORY INFORMATION](#)  
[SECTION 16 OTHER INFORMATION](#)

EXXON MOBIL

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: MOBILUX EP 1

REVISION DATE: 23 MAR 2010

## SECTION 1 PRODUCT AND COMPANY IDENTIFICATION



PRODUCT:

PRODUCT NAME: MOBILUX EP 1

PRODUCT DESCRIPTION: BASE OIL AND ADDITIVES

PRODUCT CODE: 641282-00, 970176

INTENDED USE: GREASE

COMPANY IDENTIFICATION:

SUPPLIER:

EXXON MOBIL CORPORATION

3225 GALLOWS RD.  
FAIRFAX, VA. 22037  
USA

24 HOUR HEALTH EMERGENCY: 609-737-4411

TRANSPORTATION EMERGENCY PHONE: 800-424-9300

EXXONMOBIL TRANSPORTATION NO.: 281-834-3296

PRODUCT TECHNICAL INFORMATION: 800-662-4525, 800-947-9147

MSDS INTERNET ADDRESS:  
HTTP://WWW.EXXON.COM  
HTTP://WWW.MOBIL.COM

## SECTION 2 COMPOSITION / INFORMATION ON INGREDIENTS



REPORTABLE HAZARDOUS SUBSTANCE(S) OR COMPLEX SUBSTANCE(S):

NAME	CAS#	CONCENTRATION*
ZINC DITHIOPHOSPHATE	68649-42-3	<2.5%

\* ALL CONCENTRATIONS ARE PERCENT BY WEIGHT UNLESS MATERIAL IS A GAS. GAS CONCENTRATIONS ARE IN PERCENT BY VOLUME.

## SECTION 3 HAZARDS IDENTIFICATION



THIS MATERIAL IS NOT CONSIDERED TO BE HAZARDOUS ACCORDING TO REGULATORY GUIDELINES (SEE (M)SDS SECTION 15).

POTENTIAL HEALTH EFFECTS:

LOW ORDER OF TOXICITY. EXCESSIVE EXPOSURE MAY RESULT IN EYE, SKIN, OR RESPIRATORY IRRITATION. HIGH-PRESSURE INJECTION UNDER SKIN MAY CAUSE SERIOUS DAMAGE.

NFPA HAZARD ID:  
HEALTH 0  
FLAMMABILITY 1  
REACTIVITY 0

HMIS HAZARD ID:  
HEALTH 0  
FLAMMABILITY 1  
REACTIVITY 0

NOTE:

THIS MATERIAL SHOULD NOT BE USED FOR ANY OTHER PURPOSE THAN THE INTENDED USE IN SECTION 1 WITHOUT EXPERT ADVICE. HEALTH STUDIES HAVE SHOWN THAT CHEMICAL EXPOSURE MAY CAUSE POTENTIAL HUMAN HEALTH RISKS WHICH MAY VARY FROM PERSON TO PERSON.

## SECTION 4 FIRST AID MEASURES



INHALATION:

UNDER NORMAL CONDITIONS OF INTENDED USE, THIS MATERIAL IS NOT EXPECTED TO BE AN INHALATION HAZARD.

SKIN CONTACT:

WASH CONTACT AREAS WITH SOAP AND WATER. IF PRODUCT IS INJECTED INTO OR UNDER THE SKIN, OR INTO ANY PART OF THE BODY, REGARDLESS OF THE APPEARANCE OF THE WOUND OR ITS SIZE, THE INDIVIDUAL SHOULD BE EVALUATED IMMEDIATELY BY A PHYSICIAN AS A SURGICAL EMERGENCY. EVEN THOUGH INITIAL SYMPTOMS FROM HIGH PRESSURE INJECTION MAY BE MINIMAL OR ABSENT, EARLY SURGICAL TREATMENT WITHIN THE FIRST FEW HOURS MAY SIGNIFICANTLY REDUCE THE ULTIMATE EXTENT OF INJURY.

EYE CONTACT:

FLUSH THOROUGHLY WITH WATER. IF IRRITATION OCCURS, GET MEDICAL ASSISTANCE.

INGESTION:

FIRST AID IS NORMALLY NOT REQUIRED. SEEK MEDICAL ATTENTION IF DISCOMFORT OCCURS.

## SECTION 5 FIRE FIGHTING MEASURES



EXTINGUISHING MEDIA:

APPROPRIATE EXTINGUISHING MEDIA:

USE WATER FOG, FOAM, DRY CHEMICAL OR CARBON DIOXIDE (CO2) TO EXTINGUISH FLAMES.

INAPPROPRIATE EXTINGUISHING MEDIA: STRAIGHT STREAMS OF WATER

FIRE FIGHTING:

FIRE FIGHTING INSTRUCTIONS:

EVACUATE AREA. PREVENT RUNOFF FROM FIRE CONTROL OR DILUTION FROM ENTERING STREAMS, SEWERS, OR DRINKING WATER SUPPLY. FIREFIGHTERS SHOULD USE STANDARD PROTECTIVE EQUIPMENT AND IN ENCLOSED SPACES, SELF-CONTAINED BREATHING APPARATUS (SCBA). USE WATER SPRAY TO COOL FIRE EXPOSED SURFACES AND TO PROTECT PERSONNEL.

HAZARDOUS COMBUSTION PRODUCTS:

SMOKE, FUME, ALDEHYDES, SULFUR OXIDES, INCOMPLETE COMBUSTION PRODUCTS, OXIDES OF CARBON

FLAMMABILITY PROPERTIES:

FLASH POINT (METHOD): >204C (400F) (EST. FOR OIL, ASTM D-92 (COC))

FLAMMABLE LIMITS (APPROXIMATE VOLUME % IN AIR):

LEL: N/D

UEL: N/D

AUTOIGNITION TEMPERATURE: N/D

## SECTION 6 ACCIDENTAL RELEASE MEASURES



NOTIFICATION PROCEDURES:

IN THE EVENT OF A SPILL OR ACCIDENTAL RELEASE, NOTIFY RELEVANT AUTHORITIES IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS. US REGULATIONS REQUIRE REPORTING RELEASES OF THIS MATERIAL TO THE ENVIRONMENT WHICH EXCEED THE APPLICABLE REPORTABLE QUANTITY OR OIL SPILLS WHICH COULD REACH ANY WATERWAY INCLUDING INTERMITTENT DRY CREEKS. THE NATIONAL RESPONSE CENTER CAN BE REACHED AT (800) 424-8802.

SPILL MANAGEMENT:

LAND SPILL:

SCRAPE UP SPILLED MATERIAL WITH SHOVELS INTO A SUITABLE CONTAINER FOR RECYCLE OR DISPOSAL.

WATER SPILL:

STOP LEAK IF YOU CAN DO IT WITHOUT RISK. CONFINE THE SPILL IMMEDIATELY WITH BOOMS. WARN OTHER SHIPPING. SKIM FROM SURFACE.

WATER SPILL AND LAND SPILL RECOMMENDATIONS ARE BASED ON THE MOST LIKELY SPILL SCENARIO FOR THIS MATERIAL; HOWEVER, GEOGRAPHIC CONDITIONS, WIND, TEMPERATURE, (AND IN THE CASE OF A WATER SPILL) WAVE AND CURRENT DIRECTION AND SPEED MAY GREATLY INFLUENCE THE APPROPRIATE ACTION TO BE TAKEN. FOR THIS REASON, LOCAL EXPERTS SHOULD BE CONSULTED.

NOTE: LOCAL REGULATIONS MAY PRESCRIBE OR LIMIT ACTION TO BE TAKEN.

ENVIRONMENTAL PRECAUTIONS:

PREVENT ENTRY INTO WATERWAYS, SEWERS, BASEMENTS OR CONFINED AREAS.

## SECTION 7 HANDLING AND STORAGE



HANDLING:

PREVENT SMALL SPILLS AND LEAKAGE TO AVOID SLIP HAZARD.

STATIC ACCUMULATOR: THIS MATERIAL IS NOT A STATIC ACCUMULATOR.

STORAGE: DO NOT STORE IN OPEN OR UNLABELLED CONTAINERS.

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION



EXPOSURE LIMIT VALUES:

NOTE: LIMITS/STANDARDS SHOWN FOR GUIDANCE ONLY. FOLLOW APPLICABLE REGULATIONS.

ENGINEERING CONTROLS:

THE LEVEL OF PROTECTION AND TYPES OF CONTROLS NECESSARY WILL VARY DEPENDING UPON POTENTIAL EXPOSURE CONDITIONS. CONTROL MEASURES TO CONSIDER:

NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

PERSONAL PROTECTION:

PERSONAL PROTECTIVE EQUIPMENT SELECTIONS VARY BASED ON POTENTIAL EXPOSURE CONDITIONS SUCH AS APPLICATIONS, HANDLING PRACTICES, CONCENTRATION AND VENTILATION. INFORMATION ON THE SELECTION OF PROTECTIVE EQUIPMENT FOR USE WITH THIS MATERIAL, AS PROVIDED BELOW, IS BASED UPON INTENDED, NORMAL USAGE.

RESPIRATORY PROTECTION:

IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONTAMINANT CONCENTRATIONS AT A LEVEL WHICH IS ADEQUATE TO PROTECT WORKER HEALTH, AN APPROVED RESPIRATOR MAY BE APPROPRIATE. RESPIRATOR SELECTION, USE, AND MAINTENANCE MUST BE IN ACCORDANCE WITH REGULATORY REQUIREMENTS, IF APPLICABLE. TYPES OF RESPIRATORS TO BE CONSIDERED FOR THIS MATERIAL INCLUDE:

NO PROTECTION IS ORDINARILY REQUIRED UNDER NORMAL CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

FOR HIGH AIRBORNE CONCENTRATIONS, USE AN APPROVED SUPPLIED-AIR RESPIRATOR, OPERATED IN POSITIVE PRESSURE MODE. SUPPLIED AIR RESPIRATORS WITH AN ESCAPE BOTTLE MAY BE APPROPRIATE WHEN OXYGEN LEVELS ARE INADEQUATE, GAS/VAPOR WARNING PROPERTIES ARE POOR, OR IF AIR PURIFYING FILTER CAPACITY/RATING MAY BE EXCEEDED.

HAND PROTECTION:

ANY SPECIFIC GLOVE INFORMATION PROVIDED IS BASED ON PUBLISHED LITERATURE AND GLOVE MANUFACTURER DATA. GLOVE SUITABILITY AND BREAKTHROUGH TIME WILL DIFFER DEPENDING ON THE SPECIFIC USE CONDITIONS. CONTACT THE GLOVE MANUFACTURER FOR SPECIFIC ADVICE ON GLOVE SELECTION AND BREAKTHROUGH TIMES FOR YOUR USE CONDITIONS. INSPECT AND REPLACE WORN OR DAMAGED GLOVES.

THE TYPES OF GLOVES TO BE CONSIDERED FOR THIS MATERIAL INCLUDE:

NO PROTECTION IS ORDINARILY REQUIRED UNDER NORMAL CONDITIONS OF USE.

EYE PROTECTION:

IF CONTACT IS LIKELY, SAFETY GLASSES WITH SIDE SHIELDS ARE RECOMMENDED.

SKIN AND BODY PROTECTION:

ANY SPECIFIC CLOTHING INFORMATION PROVIDED IS BASED ON PUBLISHED LITERATURE OR MANUFACTURER DATA.

THE TYPES OF CLOTHING TO BE CONSIDERED FOR THIS MATERIAL INCLUDE:

NO SKIN PROTECTION IS ORDINARILY REQUIRED UNDER NORMAL CONDITIONS OF USE. IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE PRACTICES, PRECAUTIONS SHOULD BE TAKEN TO AVOID SKIN CONTACT.

SPECIFIC HYGIENE MEASURES:

ALWAYS OBSERVE GOOD PERSONAL HYGIENE MEASURES, SUCH AS WASHING AFTER HANDLING THE MATERIAL AND BEFORE EATING, DRINKING, AND/OR SMOKING. ROUTINELY WASH WORK CLOTHING AND PROTECTIVE EQUIPMENT TO REMOVE CONTAMINANTS. DISCARD CONTAMINATED CLOTHING AND FOOTWEAR THAT CANNOT BE CLEANED. PRACTICE GOOD HOUSEKEEPING.

ENVIRONMENTAL CONTROLS: SEE SECTIONS 6, 7, 12, 13.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES



TYPICAL PHYSICAL AND CHEMICAL PROPERTIES ARE GIVEN BELOW.

CONSULT THE SUPPLIER IN SECTION 1 FOR ADDITIONAL DATA.

GENERAL INFORMATION:

PHYSICAL STATE: SOLID

FORM: SEMI-FLUID

COLOR: BROWN

ODOR: CHARACTERISTIC

ODOR THRESHOLD: N/D

IMPORTANT HEALTH, SAFETY, AND ENVIRONMENTAL INFORMATION:

RELATIVE DENSITY (AT 15 C): 0.92

FLASH POINT (METHOD): >204C (400F) (EST. FOR OIL, ASTM D-92 (COC))

FLAMMABLE LIMITS (APPROXIMATE VOLUME % IN AIR):

LEL: N/D

UEL: N/D

AUTOIGNITION TEMPERATURE: N/D

BOILING POINT / RANGE: >316C (600F)

VAPOR DENSITY (AIR = 1): N/D

VAPOR PRESSURE: <0.013 KPA (0.1 MMHg) AT 20 C

EVAPORATION RATE (n-BUTYL ACETATE = 1): N/D

pH: N/A

LOG POW (n-OCTANOL/WATER PARTITION COEFFICIENT): >3.5

SOLUBILITY IN WATER: NEGLIGIBLE

VISCOSITY: 150 CST (150 MM2/SEC) AT 40 C

OXIDIZING PROPERTIES: SEE HAZARDS IDENTIFICATION SECTION.

OTHER INFORMATION:

FREEZING POINT: N/D

MELTING POINT: N/D

DMSO EXTRACT (MINERAL OIL ONLY), IP-346: <3 %WT

NOTE:

MOST PHYSICAL PROPERTIES ABOVE ARE FOR THE OIL COMPONENT IN THE MATERIAL.

## SECTION 10 STABILITY AND REACTIVITY



STABILITY: MATERIAL IS STABLE UNDER NORMAL CONDITIONS.

CONDITIONS TO AVOID: EXCESSIVE HEAT. HIGH ENERGY SOURCES OF IGNITION.

MATERIALS TO AVOID: STRONG OXIDIZERS

HAZARDOUS DECOMPOSITION PRODUCTS:

MATERIAL DOES NOT DECOMPOSE AT AMBIENT TEMPERATURES.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

## SECTION 11 TOXICOLOGICAL INFORMATION



ACUTE TOXICITY:

ROUTE OF EXPOSURE

CONCLUSION / REMARKS

INHALATION:

TOXICITY: NO END POINT DATA.

MINIMALLY TOXIC. BASED ON ASSESSMENT OF THE COMPONENTS.

IRRITATION: NO END POINT DATA.

NEGLIGIBLE HAZARD AT AMBIENT/NORMAL HANDLING TEMPERATURES. BASED ON ASSESSMENT OF THE COMPONENTS.

INGESTION:

TOXICITY (RAT):

LD50: >5000 MG/KG

MINIMALLY TOXIC. BASED ON TEST DATA FOR STRUCTURALLY SIMILAR MATERIALS.

SKIN:

TOXICITY (RABBIT):

LD50: >5000 MG/KG

MINIMALLY TOXIC. BASED ON TEST DATA FOR STRUCTURALLY SIMILAR MATERIALS.

IRRITATION (RABBIT): DATA AVAILABLE.

NEGLIGIBLE IRRITATION TO SKIN AT AMBIENT TEMPERATURES. BASED ON ASSESSMENT OF THE COMPONENTS.

EYE:

IRRITATION (RABBIT): DATA AVAILABLE. MAY CAUSE MILD, SHORT-LASTING DISCOMFORT TO EYES. BASED ON ASSESSMENT OF THE COMPONENTS.

CHRONIC/OTHER EFFECTS:

CONTAINS:

BASE OIL SEVERELY REFINED:  
NOT CARCINOGENIC IN ANIMAL STUDIES. REPRESENTATIVE MATERIAL PASSES IP-346, MODIFIED AMES TEST, AND/OR OTHER SCREENING TESTS. DERMAL AND INHALATION STUDIES SHOWED MINIMAL EFFECTS; LUNG NON-SPECIFIC INFILTRATION OF IMMUNE CELLS, OIL DEPOSITION AND MINIMAL GRANULOMA FORMATION. NOT SENSITIZING IN TEST ANIMALS.

ADDITIONAL INFORMATION IS AVAILABLE BY REQUEST.

THE FOLLOWING INGREDIENTS ARE CITED ON THE LISTS BELOW: NONE.

REGULATORY LISTS SEARCHED:

- 1 = NTP CARC
- 2 = NTP SUS
- 3 = IARC 1
- 4 = IARC 2A
- 5 = IARC 2B
- 6 = OSHA CARC

## SECTION 12 ECOLOGICAL INFORMATION



THE INFORMATION GIVEN IS BASED ON DATA AVAILABLE FOR THE MATERIAL, THE COMPONENTS OF THE MATERIAL, AND SIMILAR MATERIALS.

ECOTOXICITY:

MATERIAL: NOT EXPECTED TO BE HARMFUL TO AQUATIC ORGANISMS.

MOBILITY:

BASE OIL COMPONENT:

LOW SOLUBILITY AND FLOATS AND IS EXPECTED TO MIGRATE FROM WATER TO THE LAND. EXPECTED TO PARTITION TO SEDIMENT AND WASTEWATER SOLIDS.

PERSISTENCE AND DEGRADABILITY:

BIODEGRADATION:

BASE OIL COMPONENT: EXPECTED TO BE INHERENTLY BIODEGRADABLE

BIOACCUMULATION POTENTIAL:

BASE OIL COMPONENT:

HAS THE POTENTIAL TO BIOACCUMULATE, HOWEVER METABOLISM OR PHYSICAL PROPERTIES MAY REDUCE THE BIOCONCENTRATION OR LIMIT BIOAVAILABILITY.

## SECTION 13 DISPOSAL CONSIDERATIONS



DISPOSAL RECOMMENDATIONS BASED ON MATERIAL AS SUPPLIED. DISPOSAL MUST BE IN ACCORDANCE WITH CURRENT APPLICABLE LAWS AND REGULATIONS, AND MATERIAL CHARACTERISTICS AT TIME OF DISPOSAL.

DISPOSAL RECOMMENDATIONS:

PRODUCT IS SUITABLE FOR BURNING IN AN ENCLOSED CONTROLLED BURNER FOR FUEL VALUE OR DISPOSAL BY SUPERVISED INCINERATION AT VERY HIGH TEMPERATURES TO PREVENT FORMATION OF UNDESIRABLE COMBUSTION PRODUCTS.

REGULATORY DISPOSAL INFORMATION:

RCRA INFORMATION:

THE UNUSED PRODUCT, IN OUR OPINION, IS NOT SPECIFICALLY LISTED BY THE EPA AS

A HAZARDOUS WASTE (40 CFR, PART 261D), NOR IS IT FORMULATED TO CONTAIN MATERIALS WHICH ARE LISTED AS HAZARDOUS WASTES. IT DOES NOT EXHIBIT THE HAZARDOUS CHARACTERISTICS OF IGNITABILITY, CORROSITIVITY OR REACTIVITY AND IS NOT FORMULATED WITH CONTAMINANTS AS DETERMINED BY THE TOXICITY CHARACTERISTIC LEACHING PROCEDURE (TCLP). HOWEVER, USED PRODUCT MAY BE REGULATED.

EMPTY CONTAINER WARNING:

EMPTY CONTAINER WARNING (WHERE APPLICABLE):

EMPTY CONTAINERS MAY CONTAIN RESIDUE AND CAN BE DANGEROUS. DO NOT ATTEMPT TO REFILL OR CLEAN CONTAINERS WITHOUT PROPER INSTRUCTIONS. EMPTY DRUMS SHOULD BE COMPLETELY DRAINED AND SAFELY STORED UNTIL APPROPRIATELY RECONDITIONED OR DISPOSED. EMPTY CONTAINERS SHOULD BE TAKEN FOR RECYCLING, RECOVERY, OR DISPOSAL THROUGH SUITABLY QUALIFIED OR LICENSED CONTRACTOR AND IN ACCORDANCE WITH GOVERNMENTAL REGULATIONS. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

SECTION 14 TRANSPORT INFORMATION



LAND (DOT): NOT REGULATED FOR LAND TRANSPORT

LAND (TDG): NOT REGULATED FOR LAND TRANSPORT

SEA (IMDG): NOT REGULATED FOR SEA TRANSPORT ACCORDING TO IMDG-CODE

AIR (IATA): NOT REGULATED FOR AIR TRANSPORT

SECTION 15 REGULATORY INFORMATION



OSHA HAZARD COMMUNICATION STANDARD:

WHEN USED FOR ITS INTENDED PURPOSES, THIS MATERIAL IS NOT CLASSIFIED AS HAZARDOUS IN ACCORDANCE WITH OSHA 29 CFR 1910.1200.

NATIONAL CHEMICAL INVENTORY LISTING:

AICS, IECSC, DSL, EINECS, ENCS, KECI, PICCS, TSCA

EPCRA: THIS MATERIAL CONTAINS NO EXTREMELY HAZARDOUS SUBSTANCES.

SARA (311/312) REPORTABLE HAZARD CATEGORIES: NONE.

SARA (313) TOXIC RELEASE INVENTORY:

CHEMICAL NAME	CAS NUMBER	TYPICAL VALUE
ZINC DITHIOPHOSPHATE	68649-42-3	<2.5%

THE FOLLOWING INGREDIENTS ARE CITED ON THE LISTS BELOW:

CHEMICAL NAME	CAS NUMBER	LIST CITATIONS
DIPHENYLAMINE	122-39-4	5, 18
ZINC DITHIOPHOSPHATE	68649-42-3	13, 15, 17

REGULATORY LISTS SEARCHED:

- 1 = ACGIH ALL
- 2 = ACGIH A1
- 3 = ACGIH A2
- 4 = OSHA Z
- 5 = TSCA 4
- 6 = TSCA 5A2
- 7 = TSCA 5E
- 8 = TSCA 6
- 9 = TSCA 12B
- 10 = CA P65 CARC
- 11 = CA P65 REPRO
- 12 = CA RTK
- 13 = IL RTK
- 14 = LA RTK
- 15 = MI 293
- 16 = MN RTK
- 17 = NJ RTK
- 18 = PA RTK
- 19 = RI RTK

CODE KEY:

CARC=CARCINOGEN

REPRO=REPRODUCTIVE

SECTION 16 OTHER INFORMATION



N/D = NOT DETERMINED

N/A = NOT APPLICABLE

THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS:

REVISION CHANGES:

- SECTION 15: LIST CITATIONS TABLE WAS MODIFIED.
- SECTION 15: SARA (313) TOXIC RELEASE INVENTORY - HEADER WAS MODIFIED.
- SECTION 15: NATIONAL CHEMICAL INVENTORY LISTING WAS MODIFIED.
- COMPOSITION: NO COMPONENTS WAS MODIFIED.
- COMPOSITION: COMPONENT TABLE WAS ADDED.
- SECTION 15: SARA (313) TOXIC RELEASE INVENTORY - TABLE WAS ADDED.
- SECTION 15: SARA 313 - CHEMICAL NAME - HEADER WAS ADDED.
- SECTION 15: SARA 313 - CAS NUMBER - HEADER WAS ADDED.
- SECTION 15: SARA 313 - TYPICAL VALUE - HEADER WAS ADDED.
- COMPOSITION: PRIMARY INGREDIENT NAME WAS ADDED.
- COMPOSITION: CAS NUMBER WAS ADDED.
- COMPOSITION: CONCENTRATION - HEADER WAS ADDED.
- COMPOSITION: SUBSTANCES TABLE - HEADER WAS ADDED.
- COMPOSITION: CONCENTRATION FOOTNOTE WAS ADDED.
- SECTION 08: EXPOSURE LIMIT VALUES - HEADER WAS ADDED.
- SECTION 15: SPECIAL CASES - HEADER WAS DELETED.
- SECTION 15: SPECIAL CASES TABLE WAS DELETED.
- SECTION 15: INVENTORY - HEADER WAS DELETED.
- SECTION 15: STATUS - HEADER WAS DELETED.
- SECTION 04: FIRST AID INHALATION - HEADER WAS MODIFIED.
- SECTION 01: COMPANY CONTACT METHODS SORTED BY PRIORITY WAS MODIFIED.
- SECTION 04: FIRST AID INHALATION WAS MODIFIED.
- SECTION 06: NOTIFICATION PROCEDURES - HEADER WAS MODIFIED.
- SECTION 10: STABILITY AND REACTIVITY - HEADER WAS MODIFIED.
- SECTION 13: DISPOSAL RECOMMENDATIONS - NOTE WAS MODIFIED.
- SECTION 13: EMPTY CONTAINER WARNING WAS MODIFIED.
- SECTION 09: BOILING POINT C(F) WAS MODIFIED.
- SECTION 08: PERSONAL PROTECTION WAS MODIFIED.
- SECTION 08: HAND PROTECTION WAS MODIFIED.
- SECTION 09: VAPOR PRESSURE WAS MODIFIED.
- SECTION 07: HANDLING AND STORAGE - HANDLING WAS MODIFIED.

SECTION 11: DERMAL LETHALITY TEST DATA WAS MODIFIED.  
SECTION 11: ORAL LETHALITY TEST DATA WAS MODIFIED.  
SECTION 11: INHALATION LETHALITY TEST DATA WAS MODIFIED.  
SECTION 05: HAZARDOUS COMBUSTION PRODUCTS WAS MODIFIED.  
SECTION 06: ACCIDENTAL RELEASE - SPILL MANAGEMENT - LAND WAS MODIFIED.  
SECTION 06: ACCIDENTAL RELEASE - SPILL MANAGEMENT - WATER WAS MODIFIED.  
SECTION 09: RELATIVE DENSITY - HEADER WAS MODIFIED.  
SECTION 09: FLASH POINT C(F) WAS MODIFIED.  
SECTION 09: VISCOSITY WAS MODIFIED.  
SECTION 14: SEA (IMDG) - HEADER WAS MODIFIED.  
SECTION 14: AIR (IATA) - HEADER WAS MODIFIED.  
SECTION 14: LAND (TDG) - HEADER WAS MODIFIED.  
SECTION 14: LAND (DOT) - HEADER WAS MODIFIED.  
SECTION 15: LIST CITATION TABLE - HEADER WAS MODIFIED.  
SECTION 14: LAND (DOT) - DEFAULT WAS MODIFIED.  
SECTION 14: LAND (TDG) DEFAULT WAS MODIFIED.  
SECTION 14: SEA (IMDG) - DEFAULT WAS MODIFIED.  
SECTION 14: AIR (IATA) - DEFAULT WAS MODIFIED.  
SECTION 11: SKIN IRRITATION CONCLUSION WAS MODIFIED.  
SECTION 11: INHALATION LETHALITY TEST COMMENT WAS MODIFIED.  
SECTION 16: CODE TO MHCS WAS MODIFIED.  
SECTION 16: MSN, MAT ID WAS MODIFIED.  
SECTION 08: EXPOSURE LIMITS/STANDARDS WAS MODIFIED.  
SECTION 15: OSHA HAZARD COMMUNICATION STANDARD WAS MODIFIED.  
HAZARD IDENTIFICATION: OSHA - MAY BE HAZARDOUS STATEMENT WAS MODIFIED.  
SECTION 06: NOTIFICATION PROCEDURES WAS MODIFIED.  
SECTION 09: OXIDIZING PROPERTIES WAS MODIFIED.  
SECTION 04: FIRST AID INGESTION - HEADER WAS MODIFIED.

THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE, TO THE BEST OF EXXONMOBIL'S KNOWLEDGE AND BELIEF, ACCURATE AND RELIABLE AS OF THE DATE ISSUED. YOU CAN CONTACT EXXONMOBIL TO INSURE THAT THIS DOCUMENT IS THE MOST CURRENT AVAILABLE FROM EXXONMOBIL. THE INFORMATION AND RECOMMENDATIONS ARE OFFERED FOR THE USER'S CONSIDERATION AND EXAMINATION. IT IS THE USER'S RESPONSIBILITY TO SATISFY ITSELF THAT THE PRODUCT IS SUITABLE FOR THE INTENDED USE. IF BUYER REPACKAGES THIS PRODUCT, IT IS THE USER'S RESPONSIBILITY TO INSURE PROPER HEALTH, SAFETY AND OTHER NECESSARY INFORMATION IS INCLUDED WITH AND/OR ON THE CONTAINER. APPROPRIATE WARNINGS AND SAFE-HANDLING PROCEDURES SHOULD BE PROVIDED TO HANDLERS AND USERS. ALTERATION OF THIS DOCUMENT IS STRICTLY PROHIBITED. EXCEPT TO THE EXTENT REQUIRED BY LAW, RE-PUBLICATION OR RETRANSMISSION OF THIS DOCUMENT, IN WHOLE

OR IN PART, IS NOT PERMITTED. THE TERM, "EXXONMOBIL" IS USED FOR CONVENIENCE, AND MAY INCLUDE ANY ONE OR MORE OF EXXONMOBIL CHEMICAL COMPANY,

EXXON MOBIL CORPORATION, OR ANY AFFILIATES IN WHICH THEY DIRECTLY OR INDIRECTLY HOLD ANY INTEREST.

INTERNAL USE ONLY:  
MHC: 0B, 0B, 0, 0, 0, 0  
PPEC: A

DGN: 2009892XUS (1014724)

COPYRIGHT 2002 EXXON MOBIL CORPORATION, ALL RIGHTS RESERVED